

Work Orders: 2130011

Report Date: 10/20/2022

Project: City of Paramount

Received Date: 10/3/2022

Turnaround Time: Normal

Phones: (562) 275-4252

Fax: (562) 921-6101

Attn: Charlene King

P.O. #:

Client: Water Replenishment District
4040 Paramount Blvd.
Lakewood, CA 90712

Billing Code:

DoD-ELAP ANAB #ADE-2882 • DoD-ISO ANAB # • ELAP-CA #1132 • EPA-UCMR #CA00211 • HW-DOH #4047 • ISO17025 ANAB #L2457.01 • LACSD #10143 • NELAP-OR #4047 • SCAQMD #93LA1006

This is a complete final report. The information in this report applies to the samples analyzed in accordance with the chain-of-custody document. Weck Laboratories certifies that the test results meet all requirements of TNI unless noted by qualifiers or written in the Case Narrative. This analytical report must be reproduced in its entirety.

Dear Charlene King,

Enclosed are the results of analyses for samples received 10/03/22 with the Chain-of-Custody document. The samples were received in good condition, at 2.1 °C and on ice. All analyses met the method criteria except as noted in the case narrative or in the report with data qualifiers.

Reviewed by:



Valerie I. Ayo
Project Manager



Water Replenishment District
4040 Paramount Blvd.
Lakewood, CA 90712

Project Number: City of Paramount

Reported:
10/20/2022 11:45

Project Manager: Charlene King

Sample Summary

Sample Name	Sampled By	Lab ID	Matrix	Sampled	Qualifiers
Well 14 CA1910105_016_016	Allan Goldberg (wecklabs)	2I30011-01	Water	10/03/22 10:45	
Well 14 CA1910105_FB	Allan Goldberg (wecklabs)	2I30011-02	Water	10/03/22 10:45	
Well 15 Pre CA1910105_025_025	Allan Goldberg (wecklabs)	2I30011-03	Water	10/03/22 10:20	
Well 15 Effluent CA1910105_027_027	Allan Goldberg (wecklabs)	2I30011-04	Water	10/03/22 10:25	
Travel Blank	Allan Goldberg (wecklabs)	2I30011-05	Water	10/03/22 10:25	

Analyses Accreditation Summary

Analyte	CAS #	Not By NELAP	ANAB ISO 17025
EPA 537.1 in Water			
PFBS	375-73-5		✓
PFHxA	307-24-4		✓
HFPO-DA	13252-13-6		✓
PFHpA	375-85-9		✓
PFHxS	355-46-4		✓
ADONA	919005-14-4		✓
PFOA	335-67-1		✓
PFNA	375-95-1		✓
PFOS	1763-23-1		✓
9CI-PF3ONS	756426-58-1		✓
PFDA	335-76-2		✓
MeFOSAA	2355-31-9		✓
EtFOSAA	2991-50-6		✓
PFUnA	2058-94-8		✓
11CI-PF3OUdS	763051-92-9		✓
PFDoA	307-55-1		✓
PFTTrDA	72629-94-8		✓
PFTeDA	376-06-7		✓
SRL 524M-TCP in Water			
1,2,3-Trichloropropane	96-18-4	✓	

Water Replenishment District
4040 Paramount Blvd.
Lakewood, CA 90712

Project Number: City of Paramount

Reported:

10/20/2022 11:45

Project Manager: Charlene King

Sample Results

Sample: Well 14 CA1910105_016_016
2I30011-01 (Water)

Sampled: 10/03/22 10:45 by Allan Goldberg (wecklabs)

Analyte	Result	MRL	Units	Dil	Analyzed	Qualifier
---------	--------	-----	-------	-----	----------	-----------

1,4-Dioxane by SPE/GCMS SIM, EPA Method 522

Method: EPA 522

Instr: GCMS20

Batch ID: W2J0248

Preparation: EPA 522/SPE

Prepared: 10/05/22 09:11

Analyst: mld

1,4-Dioxane	3.2	0.070	ug/l	1	10/10/22	
-------------	-----	-------	------	---	----------	--

Surrogate(s)

1,4-Dioxane-d8	130%	Conc: 13.0	70-130		10/10/22	
----------------	------	------------	--------	--	----------	--

Metals by EPA 200 Series Methods

Method: EPA 200.8

Instr: ICPMS04

Batch ID: W2J0401

Preparation: EPA 200.2

Prepared: 10/06/22 13:04

Analyst: ntl

Manganese, Total	44	1.0	ug/l	1	10/07/22	
------------------	----	-----	------	---	----------	--

Per- and Polyfluorinated Alkyl Substances (PFAS) by LC-MS/MS

Method: EPA 537.1

Instr: LCMS06

Batch ID: W2J0376

Preparation: EPA 537/SPE

Prepared: 10/07/22 09:47

Analyst: jna

11CI-PF3OUdS	ND	1.8	ng/l	1	10/11/22	
9CI-PF3ONS	ND	1.8	ng/l	1	10/11/22	
ADONA	ND	1.8	ng/l	1	10/11/22	
EtFOSAA	ND	1.8	ng/l	1	10/11/22	
HFPO-DA	ND	1.8	ng/l	1	10/11/22	
MeFOSAA	ND	1.8	ng/l	1	10/11/22	
PFBS	ND	1.8	ng/l	1	10/11/22	
PFDA	ND	1.8	ng/l	1	10/11/22	
PFDaA	ND	1.8	ng/l	1	10/11/22	
PFHpA	ND	1.8	ng/l	1	10/11/22	
PFHxA	ND	1.8	ng/l	1	10/11/22	
PFHxS	1.9	1.8	ng/l	1	10/11/22	
PFNA	ND	1.8	ng/l	1	10/11/22	
PFOA	ND	1.8	ng/l	1	10/11/22	
PFOS	9.6	1.8	ng/l	1	10/11/22	
PFTeDA	ND	1.8	ng/l	1	10/11/22	
PFTrDA	ND	1.8	ng/l	1	10/11/22	
PFUnA	ND	1.8	ng/l	1	10/11/22	

Surrogate(s)

13C2-PFDA	104%	Conc: 37.7	70-130		10/11/22	
13C2-PFHxA	108%	Conc: 39.0	70-130		10/11/22	
d5-EtFOSAA	94%	Conc: 135	70-130		10/11/22	
HFPO-DA-13C3	101%	Conc: 36.4	70-130		10/11/22	

Volatile Organic Compounds by P&T and GC/MS

Method: EPA 524.2

Instr: GCMS14

Batch ID: W2J0562

Preparation: EPA 5030B

Prepared: 10/09/22 06:58

Analyst: cam

2I30011

Page 3 of 11

Water Replenishment District
4040 Paramount Blvd.
Lakewood, CA 90712

Project Number: City of Paramount

Reported:
10/20/2022 11:45

Project Manager: Charlene King

Sample Results

(Continued)

Sample: Well 14 CA1910105_016_016
2I30011-01 (Water)

Sampled: 10/03/22 10:45 by Allan Goldberg (wecklabs)

(Continued)

Analyte	Result	MRL	Units	Dil	Analyzed	Qualifier
---------	--------	-----	-------	-----	----------	-----------

Volatile Organic Compounds by P&T and GC/MS (Continued)

Method: EPA 524.2

Instr: GCMS14

Batch ID: W2J0562

Preparation: EPA 5030B

Prepared: 10/09/22 06:58

Analyst: cam

Methylene chloride	ND	0.50	ug/l	1	10/09/22	
--------------------	----	------	------	---	----------	--

Surrogate(s)

1,2-Dichlorobenzene-d4	124%	Conc: 12.4	70-130		10/09/22	
4-Bromofluorobenzene	117%	Conc: 11.7	70-130		10/09/22	

Sample Results

(Continued)

Sample: Well 14 CA1910105 FB
2I30011-02 (Water)

Sampled: 10/03/22 10:45 by Allan Goldberg (wecklabs)

Analyte	Result	MRL	Units	Dil	Analyzed	Qualifier
---------	--------	-----	-------	-----	----------	-----------

Per- and Polyfluorinated Alkyl Substances (PFAS) by LC-MS/MS

Method: EPA 537.1

Instr: LCMS06

Batch ID: W2J0376

Preparation: EPA 537/SPE

Prepared: 10/07/22 09:47

Analyst: jna

11CI-PF3OUdS	ND	2.0	ng/l	1	10/11/22	
9CI-PF3ONS	ND	2.0	ng/l	1	10/11/22	
ADONA	ND	2.0	ng/l	1	10/11/22	
EtFOSAA	ND	2.0	ng/l	1	10/11/22	
HFPO-DA	ND	2.0	ng/l	1	10/11/22	
MeFOSAA	ND	2.0	ng/l	1	10/11/22	
PFBS	ND	2.0	ng/l	1	10/11/22	
PFDA	ND	2.0	ng/l	1	10/11/22	
PFDoA	ND	2.0	ng/l	1	10/11/22	
PFHpA	ND	2.0	ng/l	1	10/11/22	
PFHxA	ND	2.0	ng/l	1	10/11/22	
PFHxS	ND	2.0	ng/l	1	10/11/22	
PFNA	ND	2.0	ng/l	1	10/11/22	
PFOA	ND	2.0	ng/l	1	10/11/22	
PFOS	ND	2.0	ng/l	1	10/11/22	
PFTeDA	ND	2.0	ng/l	1	10/11/22	
PFTTrDA	ND	2.0	ng/l	1	10/11/22	
PFUnA	ND	2.0	ng/l	1	10/11/22	

Surrogate(s)

13C2-PFDA	107%	Conc: 38.9	70-130		10/11/22	
13C2-PFHxA	108%	Conc: 39.5	70-130		10/11/22	
d5-EtFOSAA	94%	Conc: 138	70-130		10/11/22	
HFPO-DA-13C3	101%	Conc: 37.0	70-130		10/11/22	

Water Replenishment District
4040 Paramount Blvd.
Lakewood, CA 90712

Project Number: City of Paramount

Project Manager: Charlene King

Reported:
10/20/2022 11:45

Sample Results

(Continued)

Sample: Well 15 Pre CA1910105_025_025
2I30011-03 (Water) Sampled: 10/03/22 10:20 by Allan Goldberg (wecklabs)

Analyte	Result	MRL	Units	Dil	Analyzed	Qualifier
Low Level 1,2,3-TCP by SRL Method, P&T, GC/MS SIM						
Method: SRL 524M-TCP		Instr: GCMS04				
Batch ID: W2J0363		Preparation: EPA 5030B		Prepared: 10/06/22 07:29		Analyst: ADM
1,2,3-Trichloropropane	ND	0.0050	ug/l	1	10/06/22	

Metals by EPA 200 Series Methods

Method: EPA 200.8		Instr: ICPMS04				
Batch ID: W2J0401		Preparation: EPA 200.2		Prepared: 10/06/22 13:04		Analyst: ntl
Arsenic, Total	7.1	0.50	ug/l	1	10/07/22	
Manganese, Total	43	1.0	ug/l	1	10/07/22	

Sample Results

(Continued)

Sample: Well 15 Effluent CA1910105_027_027
2I30011-04 (Water) Sampled: 10/03/22 10:25 by Allan Goldberg (wecklabs)

Analyte	Result	MRL	Units	Dil	Analyzed	Qualifier
Low Level 1,2,3-TCP by SRL Method, P&T, GC/MS SIM						
Method: SRL 524M-TCP		Instr: GCMS04				
Batch ID: W2J0363		Preparation: EPA 5030B		Prepared: 10/06/22 07:29		Analyst: ADM
1,2,3-Trichloropropane	ND	0.0050	ug/l	1	10/06/22	

Metals by EPA 200 Series Methods

Method: EPA 200.8		Instr: ICPMS04				
Batch ID: W2J0401		Preparation: EPA 200.2		Prepared: 10/06/22 13:04		Analyst: ntl
Arsenic, Total	7.1	0.50	ug/l	1	10/07/22	
Manganese, Total	ND	1.0	ug/l	1	10/07/22	

Sample Results

(Continued)

Sample: Travel Blank
2I30011-05 (Water) Sampled: 10/03/22 10:25 by Allan Goldberg (wecklabs)

Analyte	Result	MRL	Units	Dil	Analyzed	Qualifier
Volatile Organic Compounds by P&T and GC/MS						
Method: EPA 524.2		Instr: GCMS14				
Batch ID: W2J0562		Preparation: EPA 5030B		Prepared: 10/09/22 06:58		Analyst: cam
Methylene chloride	ND	0.50	ug/l	1	10/09/22	
<i>Surrogate(s)</i>						
1,2-Dichlorobenzene-d4	124%	Conc: 12.4	70-130		10/09/22	
4-Bromofluorobenzene	118%	Conc: 11.8	70-130		10/09/22	

Water Replenishment District
4040 Paramount Blvd.
Lakewood, CA 90712

Project Number: City of Paramount

Reported:
10/20/2022 11:45

Project Manager: Charlene King

Quality Control Results

1,4-Dioxane by SPE/GCMS SIM, EPA Method 522

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	Limits	RPD	Limit	Qualifier
Batch: W2J0248 - EPA 522										
Blank (W2J0248-BLK1)				Prepared: 10/05/22 Analyzed: 10/10/22						
1,4-Dioxane	ND	0.070	ug/l							
<i>Surrogate(s)</i>										
1,4-Dioxane-d8	10.9		ug/l	10.0		109	70-130			
LCS (W2J0248-BS1)				Prepared: 10/05/22 Analyzed: 10/10/22						
1,4-Dioxane	0.0706	0.070	ug/l	0.0600		118	50-150			
<i>Surrogate(s)</i>										
1,4-Dioxane-d8	11.3		ug/l	10.0		113	70-130			
LCS Dup (W2J0248-BSD1)				Prepared: 10/05/22 Analyzed: 10/10/22						
1,4-Dioxane	0.0721	0.070	ug/l	0.0600		120	50-150	2	30	
<i>Surrogate(s)</i>										
1,4-Dioxane-d8	11.6		ug/l	10.0		116	70-130			

Quality Control Results

Low Level 1,2,3-TCP by SRL Method, P&T, GC/MS SIM

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	Limits	RPD	Limit	Qualifier
Batch: W2J0363 - SRL 524M-TCP										
Blank (W2J0363-BLK1)				Prepared & Analyzed: 10/06/22						
1,2,3-Trichloropropane	ND	0.0050	ug/l							
LCS (W2J0363-BS1)				Prepared & Analyzed: 10/06/22						
1,2,3-Trichloropropane	0.0201	0.0050	ug/l	0.0200		100	80-120			
LCS Dup (W2J0363-BSD1)				Prepared & Analyzed: 10/06/22						
1,2,3-Trichloropropane	0.0193	0.0050	ug/l	0.0200		96	80-120	4	20	
Duplicate (W2J0363-DUP1)				Source: 2116113-01			Prepared & Analyzed: 10/06/22			
1,2,3-Trichloropropane	ND	0.0050	ug/l		ND				20	

Water Replenishment District
4040 Paramount Blvd.
Lakewood, CA 90712

Project Number: City of Paramount

Project Manager: Charlene King

Reported:
10/20/2022 11:45

Quality Control Results

(Continued)

Metals by EPA 200 Series Methods

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	Limits	RPD	RPD Limit	Qualifier
Batch: W2J0401 - EPA 200.8										
Blank (W2J0401-BLK1)										
				Prepared: 10/06/22 Analyzed: 10/07/22						
Arsenic, Total	ND	0.50	ug/l							
Manganese, Total	ND	1.0	ug/l							
LCS (W2J0401-BS1)										
				Prepared: 10/06/22 Analyzed: 10/07/22						
Arsenic, Total	50.8	0.50	ug/l	50.0		102	85-115			
Manganese, Total	53.0	1.0	ug/l	50.0		106	85-115			
Matrix Spike (W2J0401-MS1)										
		Source: 2I30011-04		Prepared: 10/06/22 Analyzed: 10/07/22						
Arsenic, Total	59.0	0.50	ug/l	50.0	7.08	104	70-130			
Manganese, Total	52.4	1.0	ug/l	50.0	0.650	104	70-130			
Matrix Spike (W2J0401-MS2)										
		Source: 2J04129-04		Prepared: 10/06/22 Analyzed: 10/07/22						
Arsenic, Total	53.9	0.50	ug/l	50.0	1.83	104	70-130			
Manganese, Total	223	1.0	ug/l	50.0	173	100	70-130			
Matrix Spike Dup (W2J0401-MSD1)										
		Source: 2I30011-04		Prepared: 10/06/22 Analyzed: 10/07/22						
Arsenic, Total	60.3	0.50	ug/l	50.0	7.08	106	70-130	2	30	
Manganese, Total	53.2	1.0	ug/l	50.0	0.650	105	70-130	1	30	
Matrix Spike Dup (W2J0401-MSD2)										
		Source: 2J04129-04		Prepared: 10/06/22 Analyzed: 10/07/22						
Arsenic, Total	53.8	0.50	ug/l	50.0	1.83	104	70-130	0.08	30	
Manganese, Total	224	1.0	ug/l	50.0	173	102	70-130	0.5	30	

Water Replenishment District
4040 Paramount Blvd.
Lakewood, CA 90712

Project Number: City of Paramount

Reported:
10/20/2022 11:45

Project Manager: Charlene King

(Continued)

Quality Control Results

Per- and Polyfluorinated Alkyl Substances (PFAS) by LC-MS/MS

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	Limits	RPD	RPD Limit	Qualifier
Batch: W2J0376 - EPA 537.1										
Blank (W2J0376-BLK1)										
Prepared: 10/07/22 Analyzed: 10/11/22										
11CI-PF3OUdS	ND	2.0	ng/l							
9CI-PF3ONS	ND	2.0	ng/l							
ADONA	ND	2.0	ng/l							
EtFOSAA	ND	2.0	ng/l							
HFPO-DA	ND	2.0	ng/l							
MeFOSAA	ND	2.0	ng/l							
PFBS	ND	2.0	ng/l							
PFDA	ND	2.0	ng/l							
PFDoA	ND	2.0	ng/l							
PFHpA	ND	2.0	ng/l							
PFHxA	ND	2.0	ng/l							
PFHxS	ND	2.0	ng/l							
PFNA	ND	2.0	ng/l							
PFOA	ND	2.0	ng/l							
PFOS	ND	2.0	ng/l							
PFTeDA	ND	2.0	ng/l							
PFTTrDA	ND	2.0	ng/l							
PFUnA	ND	2.0	ng/l							
<i>Surrogate(s)</i>										
13C2-PFDA	43.8		ng/l	40.0		110	70-130			
13C2-PFHxA	44.5		ng/l	40.0		111	70-130			
d5-EtFOSAA	153		ng/l	160		96	70-130			
HFPO-DA-13C3	40.8		ng/l	40.0		102	70-130			
LCS (W2J0376-BS1)										
Prepared: 10/07/22 Analyzed: 10/11/22										
11CI-PF3OUdS	19.2	2.0	ng/l	20.0		96	70-130			
9CI-PF3ONS	18.9	2.0	ng/l	20.0		94	70-130			
ADONA	17.8	2.0	ng/l	20.0		89	70-130			
EtFOSAA	17.5	2.0	ng/l	20.0		87	70-130			
HFPO-DA	16.7	2.0	ng/l	20.0		83	70-130			
MeFOSAA	17.4	2.0	ng/l	20.0		87	70-130			
PFBS	20.5	2.0	ng/l	20.0		103	70-130			
PFDA	18.4	2.0	ng/l	20.0		92	70-130			
PFDoA	17.6	2.0	ng/l	20.0		88	70-130			
PFHpA	19.0	2.0	ng/l	20.0		95	70-130			
PFHxA	18.6	2.0	ng/l	20.0		93	70-130			
PFHxS	19.9	2.0	ng/l	20.0		100	70-130			
PFNA	19.1	2.0	ng/l	20.0		95	70-130			
PFOA	19.9	2.0	ng/l	20.0		99	70-130			
PFOS	18.9	2.0	ng/l	20.0		94	70-130			

Water Replenishment District
4040 Paramount Blvd.
Lakewood, CA 90712

Project Number: City of Paramount

Reported:
10/20/2022 11:45

Project Manager: Charlene King

Quality Control Results

(Continued)

Per- and Polyfluorinated Alkyl Substances (PFAS) by LC-MS/MS (Continued)

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	Limits	RPD	RPD Limit	Qualifier
Batch: W2J0376 - EPA 537.1 (Continued)										
LCS (W2J0376-BS1)										
				Prepared: 10/07/22 Analyzed: 10/11/22						
PFTeDA	18.9	2.0	ng/l	20.0		94	70-130			
PFTTrDA	19.3	2.0	ng/l	20.0		97	70-130			
PFUnA	18.4	2.0	ng/l	20.0		92	70-130			
<i>Surrogate(s)</i>										
13C2-PFDA	40.5		ng/l	40.0		101	70-130			
13C2-PFHxA	41.9		ng/l	40.0		105	70-130			
d5-EtFOSAA	145		ng/l	160		90	70-130			
HFPO-DA-13C3	36.3		ng/l	40.0		91	70-130			
LCS Dup (W2J0376-BSD1)										
				Prepared: 10/07/22 Analyzed: 10/11/22						
11CI-PF3OUdS	18.2	2.0	ng/l	20.0		91	70-130	5	30	
9CI-PF3ONS	18.6	2.0	ng/l	20.0		93	70-130	1	30	
ADONA	18.3	2.0	ng/l	20.0		92	70-130	3	30	
EtFOSAA	18.5	2.0	ng/l	20.0		93	70-130	6	30	
HFPO-DA	17.7	2.0	ng/l	20.0		88	70-130	6	30	
MeFOSAA	18.2	2.0	ng/l	20.0		91	70-130	5	30	
PFBS	19.8	2.0	ng/l	20.0		99	70-130	4	30	
PFDA	18.8	2.0	ng/l	20.0		94	70-130	2	30	
PFDoA	18.6	2.0	ng/l	20.0		93	70-130	5	30	
PFHpA	19.4	2.0	ng/l	20.0		97	70-130	2	30	
PFHxA	18.9	2.0	ng/l	20.0		95	70-130	2	30	
PFHxS	19.6	2.0	ng/l	20.0		98	70-130	2	30	
PFNA	19.9	2.0	ng/l	20.0		99	70-130	4	30	
PFOA	19.9	2.0	ng/l	20.0		99	70-130	0.02	30	
PFOS	19.3	2.0	ng/l	20.0		97	70-130	2	30	
PFTeDA	19.2	2.0	ng/l	20.0		96	70-130	2	30	
PFTTrDA	19.3	2.0	ng/l	20.0		96	70-130	0.1	30	
PFUnA	18.9	2.0	ng/l	20.0		94	70-130	3	30	
<i>Surrogate(s)</i>										
13C2-PFDA	43.6		ng/l	40.0		109	70-130			
13C2-PFHxA	43.0		ng/l	40.0		107	70-130			
d5-EtFOSAA	158		ng/l	160		99	70-130			
HFPO-DA-13C3	38.6		ng/l	40.0		96	70-130			

Water Replenishment District
4040 Paramount Blvd.
Lakewood, CA 90712

Project Number: City of Paramount

Reported:
10/20/2022 11:45

Project Manager: Charlene King

(Continued)

Quality Control Results

Volatile Organic Compounds by P&T and GC/MS

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	Limits	RPD	RPD Limit	Qualifier
Batch: W2J0562 - EPA 524.2										
Blank (W2J0562-BLK1)										
Methylene chloride	ND	0.50	ug/l							
<i>Surrogate(s)</i>										
1,2-Dichlorobenzene-d4	10.2		ug/l	10.0		102	70-130			
4-Bromofluorobenzene	9.86		ug/l	10.0		99	70-130			
LCS (W2J0562-BS1)										
Methylene chloride	5.68	0.50	ug/l	5.00		114	70-130			
<i>Surrogate(s)</i>										
1,2-Dichlorobenzene-d4	11.9		ug/l	10.0		119	70-130			
4-Bromofluorobenzene	11.5		ug/l	10.0		115	70-130			
LCS Dup (W2J0562-BSD1)										
Methylene chloride	5.65	0.50	ug/l	5.00		113	70-130	0.7	30	
<i>Surrogate(s)</i>										
1,2-Dichlorobenzene-d4	11.9		ug/l	10.0		119	70-130			
4-Bromofluorobenzene	11.5		ug/l	10.0		115	70-130			

Water Replenishment District
4040 Paramount Blvd.
Lakewood, CA 90712

Project Number: City of Paramount

Project Manager: Charlene King

Reported:
10/20/2022 11:45

Notes and Definitions


Item	Definition
%REC	Percent Recovery
Dil	Dilution
MRL	The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence. The MRL is also known as Limit of Quantitation (LOQ)
ND	NOT DETECTED at or above the Method Reporting Limit (MRL). If Method Detection Limit (MDL) is reported, then ND means not detected at or above the MDL.
RPD	Relative Percent Difference
Source	Sample that was matrix spiked or duplicated.

Any remaining sample(s) will be disposed of one month from the final report date unless other arrangements are made in advance.

All results are expressed on wet weight basis unless otherwise specified.

All samples collected by Weck Laboratories have been sampled in accordance to laboratory SOP Number MIS002.

2130011



Weck Laboratories, Inc.
Analytical Laboratory Services - Since 1964

CHAIN OF CUSTODY RECORD

14859 East Clark Avenue : Industry : CA 91745
Tel 626-336-2139 ♦ Fax 626-336-2634 ♦ www.wecklabs.com

Work Order #

213011 ^{10/03/22} _{JB}

Page 1 Of 1

CLIENT NAME: Water Replenishment District		PROJECT: City of Paramount		<table border="1"> <tr> <td>EPA 524.2 Methylene Chloride</td> <td>EPA 522- 1,4 Dioxane</td> <td>EPA 537.1</td> <td>EPA 200.8 Mn</td> <td>EPA 200.8 As</td> <td>EPA 524M SRL 1,2,3-TCP</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>						EPA 524.2 Methylene Chloride	EPA 522- 1,4 Dioxane	EPA 537.1	EPA 200.8 Mn	EPA 200.8 As	EPA 524M SRL 1,2,3-TCP					SPECIAL HANDLING <input type="checkbox"/> Same Day Rush 150% <input type="checkbox"/> 24 Hour Rush 100% <input type="checkbox"/> 48-72 Hour Rush 75% <input type="checkbox"/> 4 - 5 Day Rush 30% <input type="checkbox"/> Rush Extractions 50% <input type="checkbox"/> 10 - 15 Business Days <input type="checkbox"/> QA/QC Data Package	
EPA 524.2 Methylene Chloride	EPA 522- 1,4 Dioxane	EPA 537.1	EPA 200.8 Mn							EPA 200.8 As	EPA 524M SRL 1,2,3-TCP										
ADDRESS: 4040 Paramount Blvd Lakewood, Ca 90712		PHONE: 562-921-5521 FAX: EMAIL: cking@wrdd.org								SAMPLER: Weck - <u>ALLAN</u>		Charges will apply for weekends/holidays		Method of Shipment:							
PROJECT MANAGER: Charlene King						COMMENTS															

WTX IDs	DATE SAMPLED	TIME SAMPLED	SMPL TYPE	SAMPLE IDENTIFICATION/SITE LOCATION	# OF CONT.	EPA 524.2 Methylene Chloride	EPA 522- 1,4 Dioxane	EPA 537.1	EPA 200.8 Mn	EPA 200.8 As	EPA 524M SRL 1,2,3-TCP							
3DEB1	10/3/22	1045	GW	Well 14 CA1910105_016_016	8	x	x	x	x									Fld Temp 20.7°c
			FB	Well 14 FB CA1910105_016_016	1			x										
3DEB2	10/3/22	1020	GW	Well 15 (Pre) CA1910105_025_025	3				x	x	x							Fld Temp 21.6°c
3DEB3	10/3/22	1025	GW	Well 15 (Effluent) CA1910105_027_027	3				x	x	x							Fld Temp 21.6°c
			TB	Travel Blank	1	x												

RELINQUISHED BY <i>[Signature]</i>	DATE / TIME 10/3/22 1550	RECEIVED BY <i>[Signature]</i>	15:50 10/03/22	SAMPLE CONDITION Actual Temperature: 2.1c Received On Ice <input checked="" type="checkbox"/> Y / N Preserved <input checked="" type="checkbox"/> Y / N Evidence Seals Present <input checked="" type="checkbox"/> Y / N Container Attacked <input checked="" type="checkbox"/> Y / N Preserved at Lab <input checked="" type="checkbox"/> Y / N	SAMPLE TYPE CODE: AQ=Aqueous NA= Non Aqueous SL = Sludge DW = Drinking Water WW = Waste Water RW = Rain Water GW = Ground Water SO = Soil SW = Solid Waste OL = Oil OT = Other Matrix
RELINQUISHED BY	DATE / TIME	RECEIVED BY			
RELINQUISHED BY	DATE / TIME	RECEIVED BY			

PRESCHEDULED RUSH ANALYSES WILL TAKE PRIORITY OVER UNSCHEDULED RUSH REQUESTS
Client agrees to Terms & Conditions at: www.wecklabs.com WTX: 20352

SPECIAL REQUIREMENTS / BILLING INFORMATION
Watertrax Uploaded Needed

COC version 042707